



**SAFETY DATA SHEET  
CPP H26 FLOOR CLEANER**

According to Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures.

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

**Product name** CPP H26 FLOOR CLEANER

**Product number** CPPH26

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Identified uses** Detergent. For professional use only.

**Uses advised against** Not for direct contact with Food or Beverage stuffs. Not for oral consumption.

**1.3. Details of the supplier of the safety data sheet**

**Supplier** Booker  
Equity House, Irthlingborough Road  
Wellingborough  
Northants. NN8 1LT  
01933 371000

**Manufacturer** Holchem Laboratories Limited  
Gateway House, Pilsworth Road,  
Pilsworth Industrial Estate,  
Bury, Lancashire (UK)  
BL9 8RD  
+44 (0) 1706 222288  
+44 (0) 1706 221550  
info@holchem.co.uk

**1.4. Emergency telephone number**

**Emergency telephone** Out of Office Hours Emergency Information:- For accidents and spillages involving this product that pose a threat to the environment, or human health, or require immediate first aid advice please call:- 0870 190 6777. NOTE: This number will not provide technical details of the product, or deal with other general enquiries regarding application and use of the product. This product is registered with the NPIS. UK Environment Agency 24hour Advisory Service 0800 807060.

**SECTION 2: Hazards identification**

**2.1. Classification of the substance or mixture**

**Classification (EC 1272/2008)**

**Physical hazards** Not Classified

**Health hazards** Skin Irrit. 2 - H315 Eye Dam. 1 - H318

**Environmental hazards** Aquatic Acute 1 - H400 Aquatic Chronic 2 - H411

**2.2. Label elements**

**CPP H26 FLOOR CLEANER****Hazard pictograms****Signal word**

Danger

**Hazard statements**

H315 Causes skin irritation.  
 H318 Causes serious eye damage.  
 H400 Very toxic to aquatic life.  
 H411 Toxic to aquatic life with long lasting effects.

**Precautionary statements**

P273 Avoid release to the environment.  
 P280 Wear protective clothing, gloves, eye and face protection.  
 P302+P352+P332+P313 P302+P352+P332+P313 IF ON SKIN: Wash with plenty of water: If skin irritation occurs: Get medical advice/attention.  
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
 P313 Get medical advice/ attention.  
 P501 Dispose of contents/ container in accordance with national regulations.

**Contains**

ISO TRIDECANOL ALCOHOL ETHOXYLATE, ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT, ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE

**Detergent labelling**

< 5% amphoteric surfactants, < 5% cationic surfactants, < 5% EDTA and salts thereof, < 5% non-ionic surfactants, < 5% phosphates, < 5% phosphonates

**Supplementary precautionary statements** P404 Store in a closed container.

**2.3. Other hazards**

This product does not contain any substances classified as PBT or vPvB.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures**

<b>ISO TRIDECANOL ALCOHOL ETHOXYLATE</b>	<b>1-3.5%</b>
CAS number: 69011-36-5	EC number: 931-138-8
	REACH registration number: 02-2119552461-55-0000
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>
Acute Tox. 4 - H302	Xi;R41.
Skin Irrit. 2 - H315	
Eye Dam. 1 - H318	
Aquatic Chronic 3 - H412	

## CPP H26 FLOOR CLEANER

<b>ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT</b>		<b>1-3%</b>
CAS number: 64-02-8	EC number: 200-573-9	REACH registration number: 01-2119486762-27
<b>Classification</b> Met. Corr. 1 - H290 Acute Tox. 4 - H302 Acute Tox. 4 - H332 Eye Dam. 1 - H318 STOT RE 2 - H373	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R20,R22. Xi;R41.	
<b>ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE</b>		<b>1-3%</b>
CAS number: 68424-85-1	EC number: 270-325-2	
M factor (Acute) = 10	M factor (Chronic) = 1	
<b>Classification</b> Met. Corr. 1 - H290 Acute Tox. 4 - H302 Skin Corr. 1B - H314 Eye Dam. 1 - H318 Aquatic Acute 1 - H400 Aquatic Chronic 1 - H410	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xn;R21/22. C;R34. N;R50.	
<b>TETRAPOTASSIUM PYROPHOSPHATE</b>		<b>1-2%</b>
CAS number: 7320-34-5	EC number: 230-785-7	REACH registration number: 01-2119489369-18-XXXX
<b>Classification</b> Eye Irrit. 2 - H319	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xi;R36.	
<b>BETA-ALANINE, N-(2 CARBOXYETHYL)-N-DODECYL MONO SODIUM SALT</b>		<b>1-2%</b>
CAS number: 90170-43-7	EC number: 290-476-8	
<b>Classification</b> Eye Irrit. 2 - H319	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xi;R36.	
<b>LAURYL BETAINE</b>		<b>&lt;1%</b>
CAS number: 683-10-3	EC number: 211-669-5	
<b>Classification</b> Acute Tox. 4 - H302 Acute Tox. 4 - H312 Skin Irrit. 2 - H315 Eye Dam. 1 - H318	<b>Classification (67/548/EEC or 1999/45/EC)</b> Xi;R36/38,R41.	

## CPP H26 FLOOR CLEANER

<b>SODIUM HYDROXIDE</b>		<b>&lt;1%</b>
CAS number: 1310-73-2	EC number: 215-185-5	REACH registration number: 01-2119457892-27
<b>Classification</b>	<b>Classification (67/548/EEC or 1999/45/EC)</b>	
Met. Corr. 1 - H290	C;R35	
Skin Corr. 1A - H314		
Eye Dam. 1 - H318		

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

**Composition comments** To the best of our knowledge, all of the substances used in this product are being supported for the relevant application in REACH.

### SECTION 4: First aid measures

#### 4.1. Description of first aid measures

<b>General information</b>	For immediate First Aid advice in the UK, dial 111. When it is safe to do so, remove victim immediately from source of exposure. However, consideration should be given as to whether moving the victim will cause further injury.
<b>Inhalation</b>	Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If breathing stops, provide artificial respiration. Get medical attention if any discomfort continues.
<b>Ingestion</b>	Do not induce vomiting. Rinse mouth thoroughly with water. Place unconscious person on the side in the recovery position and ensure breathing can take place. Get medical attention.
<b>Skin contact</b>	Remove contaminated clothing that is not stuck to the skin. Flush area with clean water. Get medical attention if any discomfort continues.
<b>Eye contact</b>	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.

#### 4.2. Most important symptoms and effects, both acute and delayed

<b>General information</b>	Neat product may cause irritation to skin and eyes. Dilute chemical may result in mild irritation to skin. Contact of dilute chemical with eyes should still be treated as outlined above.
<b>Inhalation</b>	Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose.
<b>Ingestion</b>	Unlikely route of exposure without deliberate abuse. If neat chemical is ingested, irritation of the mouth, throat and GI tract may occur. If dilute chemical is ingested some soreness of the mouth, throat and GI tract may occur.
<b>Skin contact</b>	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Chemical burns are possible after prolonged contact.
<b>Eye contact</b>	May cause irritation to the eyes. May result in permanent eye damage.

#### 4.3. Indication of any immediate medical attention and special treatment needed

<b>Notes for the doctor</b>	Contains Chelating Agents and Surfactants in Aqueous Solution. Rinse well with water to neutral pH.
-----------------------------	---

### SECTION 5: Firefighting measures

#### 5.1. Extinguishing media

**Suitable extinguishing media** The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.

## CPP H26 FLOOR CLEANER

### 5.2. Special hazards arising from the substance or mixture

**Specific hazards** The product is non-combustible. On heating irritating fumes may be formed.

### 5.3. Advice for firefighters

**Protective actions during firefighting** Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.

**Special protective equipment for firefighters** Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

## SECTION 6: Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

**Personal precautions** Wear protective clothing as described in Section 8 of this safety data sheet.

### 6.2. Environmental precautions

**Environmental precautions** Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Avoid or minimise the creation of any environmental contamination.

### 6.3. Methods and material for containment and cleaning up

**Methods for cleaning up** Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Containers with collected spillage must be properly labelled with correct contents and hazard symbol. - Note these comments apply to spillage of very large quantities, not normal use volumes.

### 6.4. Reference to other sections

**Reference to other sections** See sections 8, 12 & 13

## SECTION 7: Handling and storage

### 7.1. Precautions for safe handling

**Usage precautions** Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist. Read and follow manufacturer's recommendations. At normal use strengths it is expected that typical work clothing will provide adequate body protection, but users should avoid both breathing in and eye contact of sprayed droplets. Refer to section 8 for advice.

### 7.2. Conditions for safe storage, including any incompatibilities

**Storage precautions** Keep only in the original container. Store in a demarcated bunded area to prevent release to drains and/or watercourses. Store away from:- Chlorinated materials Store between 0 and 40 Degrees C.

### 7.3. Specific end use(s)

**Specific end use(s)** Detergent, refer to use instructions.

**Usage description** This product is suitable for use in food preparation areas, but is not designed for direct food contact.

## SECTION 8: Exposure controls/Personal protection

### 8.1. Control parameters

#### Occupational exposure limits

#### SODIUM HYDROXIDE

Short-term exposure limit (15-minute): WEL 2 mg/m<sup>3</sup>

## CPP H26 FLOOR CLEANER

WEL = Workplace Exposure Limit

### Ingredient comments

DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non-hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where an exposure level is quoted, a risk assessment should consider if there is a need to monitor the atmosphere of the working environment. Results should be compared against the WEL and/or DNEL information provided. Where new information becomes available under REACH, this will be passed on as revisions to the Safety Data Sheet.

### ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT (CAS: 64-02-8)

<b>DNEL</b>	Professional - Inhalation; Long term systemic effects: 1.5 mg/m <sup>3</sup>
<b>PNEC</b>	- Fresh water; 2.86 mg/l - marine water; 0.286 mg/l - Intermittent release; 1.56 mg/l - Soil; 0.937 mg/kg, mg/kg dwt - STP; 55.94 mg/kg

### SODIUM HYDROXIDE (CAS: 1310-73-2)

<b>DNEL</b>	Industry - Inhalation; Long term local effects: 1.0 mg/m <sup>3</sup> DNEL data for Professional users is not yet available, but it is assumed to be the same as for Industrial users. Industry - Dermal; Short term local effects: 2%
<b>PNEC</b>	No information is available for PNEC data for Sodium Hydroxide

### 8.2. Exposure controls

#### Protective equipment



#### Appropriate engineering controls

Provide adequate general and local exhaust ventilation.

#### Personal protection

The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible, replace manual processes with automated or closed processes to minimise contact with the product.

#### Eye/face protection

If risk of splashing, wear safety goggles or face shield. Refer to EN Standard 166 to select appropriate level of protection.

#### Hand protection

Use protective gloves. Rubber, neoprene or PVC. The expected use of this product is such that gloves with a breakthrough time of >60 minutes should be regarded as sufficient. Gloves should be inspected regularly for damage and replaced when necessary.

#### Other skin and body protection

Provide eyewash station. Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.

## CPP H26 FLOOR CLEANER

<b>Hygiene measures</b>	Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin. Wash contaminated clothing before reuse. Provide eyewash station and safety shower.
<b>Respiratory protection</b>	Ensure adequate ventilation, do not breathe in spray or vapours.
<b>Environmental exposure controls</b>	Do not allow the substance to contaminate surface water/ground water. See points 6, 12 & 13. Users of this product should consult local drainage and permitting authorities to ensure that any restrictions or discharge consents are adhered to. We believe that cationic component(s) of this formulation represent the greatest ecotox risk. As information becomes available it will be included in section 12 of the MSDS.
<b>General Health and Safety Measures.</b>	The above requirements refer to the neat product. A 5% solution of this product would not be classified. However, we would recommend eye protection if there is a risk of splashing, also use of gloves. Alkyl Benzyl Dimethyl Ammonium Chloride has been linked to skin sensitisation by prolonged or repeated exposure. Use of gloves is recommended. A full Risk Assessment should be carried out before handling any chemical(s). Risk Assessments should refer to COSHH, and any other relevant legislation or industry specific guidelines governing the use of chemicals.

### SECTION 9: Physical and chemical properties

#### 9.1. Information on basic physical and chemical properties

<b>Appearance</b>	Clear liquid.
<b>Colour</b>	Colourless to pale yellow.
<b>Odour</b>	Detergent.
<b>Odour threshold</b>	Not applicable.
<b>pH</b>	pH (diluted solution): 7.5 - 8.5 @ 1%
<b>Melting point</b>	~ 0 degrees C
<b>Initial boiling point and range</b>	Not applicable.
<b>Flash point</b>	Not applicable. Contains no Flammable Components
<b>Evaporation rate</b>	Not applicable.
<b>Evaporation factor</b>	Not applicable.
<b>Flammability (solid, gas)</b>	Not flammable
<b>Upper/lower flammability or explosive limits</b>	Not applicable.
<b>Other flammability</b>	Not applicable.
<b>Vapour pressure</b>	Not applicable.
<b>Vapour density</b>	Not applicable.
<b>Relative density</b>	1.03 @20 Degrees C
<b>Bulk density</b>	Not applicable.
<b>Solubility(ies)</b>	Soluble in water.
<b>Partition coefficient</b>	Not applicable. Not technically practical for mixtures.
<b>Auto-ignition temperature</b>	Not applicable.
<b>Decomposition Temperature</b>	Not applicable.

## CPP H26 FLOOR CLEANER

<b>Viscosity</b>	Not determined.
<b>Explosive properties</b>	Not applicable.
<b>Explosive under the influence of a flame</b>	Not considered to be explosive.
<b>Oxidising properties</b>	Not applicable. Contains no Oxidising Components.

### 9.2. Other information

<b>Refractive index</b>	Not applicable.
<b>Particle size</b>	Not applicable.
<b>Molecular weight</b>	Not applicable.
<b>Volatility</b>	Not applicable.
<b>Saturation concentration</b>	Not applicable.
<b>Critical temperature</b>	Not applicable.
<b>Volatile organic compound</b>	Not applicable.
<b>Explosive Properties</b>	Not Classified as Explosive
<b>Storage Temperature Range</b>	0 to + 40 Degrees C

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

<b>Reactivity</b>	Not expected to react when correctly stored and used. Mixing with other chemicals may produce unexpected reactions.
-------------------	---

### 10.2. Chemical stability

<b>Stability</b>	Stable at normal ambient temperatures and when used as recommended. - See note 10.6.
------------------	--

### 10.3. Possibility of hazardous reactions

<b>Possibility of hazardous reactions</b>	Refer to section 10.1. Do not mix with Hypochlorite based chemicals, this could result in a dangerous heating of the solution.
---	--

### 10.4. Conditions to avoid

<b>Conditions to avoid</b>	Avoid excessive heat for prolonged periods of time.
----------------------------	---

### 10.5. Incompatible materials

<b>Materials to avoid</b>	May induce stress cracking in Polycarbonate. Do not mix with Hypochlorite based chemicals this could result in a hazardous reaction producing heat, CO <sub>2</sub> and O <sub>2</sub> .
---------------------------	--

### 10.6. Hazardous decomposition products

<b>Hazardous decomposition products</b>	Does not decompose when used and stored as recommended. - See section 10.5.
---	---

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

#### Acute toxicity - oral

<b>ATE oral (mg/kg)</b>	8,705.2
-------------------------	---------

#### Acute toxicity - dermal

<b>ATE dermal (mg/kg)</b>	26,000.0
---------------------------	----------



**CPP H26 FLOOR CLEANER****Acute toxicity - inhalation**

**ATE inhalation (dusts/mists mg/l)** 49.34

**Skin sensitisation**

**Skin sensitisation** Alkyl Benzyl Dimethyl Ammonium Chloride has been linked to skin sensitisation by prolonged or repeated exposure. Use of gloves is recommended.

**Carcinogenicity**

**Carcinogenicity** The components of this formulation will not be systemically available in the body under normal conditions of handling. As a consequence it is not expected to cause cancer.

**Reproductive toxicity**

**Reproductive toxicity - fertility** The components of this formulation will not be systemically available in the body under normal conditions of use and handling. As a consequence it is not expected to be toxic to the reproductive system or developing foetus.

**General information**

See section 4.2.

**Inhalation**

Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose. - See section 4.2.

**Ingestion**

Will cause severe irritation to mouth, throat and GI-Tract.

**Skin contact**

Irritating to skin. - See section 4.2.

**Eye contact**

Risk of serious damage to eyes. May cause permanent eye injury.

**Toxicological information on ingredients.****ISO TRIDECANOL ALCOHOL ETHOXYLATE****Acute toxicity - oral**

**ATE oral (mg/kg)** 500.0

**ETHYLENEDIAMINETETRAACETIC ACID TETRASODIUM SALT****Acute toxicity - oral**

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 2,000.0

**Species** Rat

**ATE oral (mg/kg)** 2,000.0

**Acute toxicity - inhalation**

**Acute toxicity inhalation (LC<sub>50</sub> dust/mist mg/l)** 5,000.0

**Species** Rat

**ATE inhalation (dusts/mists mg/l)** 1.5

**ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE****Acute toxicity - oral**

**Acute toxicity oral (LD<sub>50</sub> mg/kg)** 795.0

## CPP H26 FLOOR CLEANER

<b>Species</b>	Rat
<b>ATE oral (mg/kg)</b>	795.0
<b><u>Acute toxicity - dermal</u></b>	
<b>Acute toxicity dermal (LD<sub>50</sub> mg/kg)</b>	1,560.0
<b>Species</b>	Rat

### LAURYL BETAINE

<b><u>Acute toxicity - oral</u></b>	
<b>ATE oral (mg/kg)</b>	500.0
<b><u>Acute toxicity - dermal</u></b>	
<b>ATE dermal (mg/kg)</b>	1,100.0

### SODIUM HYDROXIDE

<b>Toxicological effects</b>	Will cause immediate corrosion of and damage to the GI Tract, Lethal dose in man is approximately 5g.
------------------------------	---

## SECTION 12: Ecological information

**Ecotoxicity** This product is classified as very toxic to aquatic life, this refers to the neat product. Normal use is not expected to pose a risk.

### 12.1. Toxicity

**Toxicity** Normal use is not expected to pose an ecological risk.

### Acute aquatic toxicity

#### **Acute toxicity - fish**

Very toxic to aquatic organisms.

See note 12.0.

To the best of our current knowledge, the main ecotoxicological effect is due to the Alky Benzyl Dimethyl Ammonium Chloride, for which :-

The EC50/48h value for Daphnia is 0.03mg/l.

The EC50/96h value for Selenastrum capricornutum is 0.06mg/l.

The LC50/96h value for Rainbow Trout is 1.7 mg/l.

Behaviour in sewage processing plants - EC20 / 0.5hr = 10mg/l (Activated Sludge).

### Ecological information on ingredients.

#### ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE

#### **Acute aquatic toxicity**

<b>LE(C)<sub>50</sub></b>	0.01 < L(E)C50 ≤ 0.1
<b>M factor (Acute)</b>	10
<b>Acute toxicity - fish</b>	LC <sub>50</sub> , 96 hours: 0.93 mg/l, Fish
<b>Acute toxicity - aquatic invertebrates</b>	EC <sub>50</sub> , 48 hours: 0.0058 mg/l, Daphnia magna
<b>Acute toxicity - aquatic plants</b>	IC <sub>50</sub> , 72 hours: 0.049 mg/l, Algae
<b><u>Chronic aquatic toxicity</u></b>	

**CPP H26 FLOOR CLEANER**

<b>NOEC</b>	0.001 < NOEC ≤ 0.01
<b>Degradability</b>	Rapidly degradable
<b>M factor (Chronic)</b>	1

**SODIUM HYDROXIDE****Acute aquatic toxicity****Acute toxicity - fish**

No reliable data is available for this substance. Concentrations greater than 10ppm, or a pH value equal to or greater than 10.5 may be fatal to fish and other aquatic organisms. Can cause damage to other aquatic plants. Can cause damage to vegetation.

**12.2. Persistence and degradability**

**Persistence and degradability** The surfactant(s) used in this preparation complies (comply) with the biodegradability criteria as laid down in the European Detergents Regulation No 648/2004 as amended.

**Ecological information on ingredients.****ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE****Persistence and degradability**

The product is more than 80% biodegradable.

**12.3. Bioaccumulative potential**

**Bioaccumulative potential** Not expected to bioaccumulate.

**Partition coefficient** Not applicable. Not technically practical for mixtures.

**Ecological information on ingredients.****ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE**

**Bioaccumulative potential** The product is not bioaccumulating.

**12.4. Mobility in soil**

**Mobility** The product contains substances which are water soluble and may spread in water systems.

**12.5. Results of PBT and vPvB assessment**

**Results of PBT and vPvB assessment** This product does not contain any substances classified as PBT or vPvB.

**12.6. Other adverse effects**

**Other adverse effects** Not determined.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

**General information** When handling waste, the safety precautions applying to handling of the product should be considered. Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Do not mix with other chemicals.

**Disposal methods** Small volumes of use solution can be disposed of to sewers.

**SECTION 14: Transport information****14.1. UN number**

**CPP H26 FLOOR CLEANER**

UN No. (ADR/RID)	3082
UN No. (IMDG)	3082
UN No. (ICAO)	3082

**14.2. UN proper shipping name**

<b>Proper shipping name (ADR/RID)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALCOHOL ETHOXYLATE, ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE)
<b>Proper shipping name (IMDG)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALCOHOL ETHOXYLATE, ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE)
<b>Proper shipping name (ICAO)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALCOHOL ETHOXYLATE, ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE)
<b>Proper shipping name (ADN)</b>	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (ALCOHOL ETHOXYLATE, ALKYL BENZYL DIMETHYL AMMONIUM CHLORIDE)

**14.3. Transport hazard class(es)**

ADR/RID class	9
ADR/RID label	9
IMDG class	9
ICAO class/division	9

**Transport labels****14.4. Packing group**

ADR/RID packing group	III
IMDG packing group	III
ICAO packing group	III

**14.5. Environmental hazards****Environmentally hazardous substance/marine pollutant****14.6. Special precautions for user**

EmS	F-A, S-F
Hazard Identification Number (ADR/RID)	90
Tunnel restriction code	(E)

**14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code**

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

## CPP H26 FLOOR CLEANER

### SECTION 15: Regulatory information

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

<b>EU legislation</b>	European Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures. This replaces Directive 67/548/EEC - Classification, Packaging and Labelling of Dangerous Substances and Regulation (EC) No. 453/2010 relating to the Classification, Packaging and Labelling of Dangerous Preparations. Also considered is the REACH Regulation (EC) No.1907/2006.
-----------------------	---

#### 15.2. Chemical safety assessment

##### Pcs Information

No chemical safety assessment has been carried out.

### SECTION 16: Other information

<b>Abbreviations and acronyms used in the safety data sheet</b>	(EC) No. 1272/2008 : EU Regulation on Classification, Labelling and Packaging of Substances and Mixtures. NPIS - National Poisons Information Service. vPvB - Very Persistent, Very bioaccumulative. PBT - Persistent, Bioaccumulative & Toxic. REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC 1907/2006). DNEL - Derived No Effect Limit. PNEC - Predicted No Effect Concentration. COSHH - Control of Substances Hazardous to Health. Industry - Refers in section 8 to application of the substance in an industrial process. Professional - Refers in section 8 to application/use of the preparation/product in a skilled trade premises.
<b>General information</b>	This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2.
<b>Revision comments</b>	Formulation and SDS review with no change in classification
<b>Revision date</b>	28/05/2019
<b>Risk phrases in full</b>	R20 Harmful by inhalation. R21/22 Harmful in contact with skin and if swallowed. R22 Harmful if swallowed. R34 Causes burns. R36 Irritating to eyes. R36/38 Irritating to eyes and skin. R41 Risk of serious damage to eyes. R50 Very toxic to aquatic organisms.

## CPP H26 FLOOR CLEANER

### Hazard statements in full

H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H312 Harmful in contact with skin.  
H314 Causes severe skin burns and eye damage.  
H315 Causes skin irritation.  
H318 Causes serious eye damage.  
H319 Causes serious eye irritation.  
H332 Harmful if inhaled.  
H373 May cause damage to organs through prolonged or repeated exposure.  
H400 Very toxic to aquatic life.  
H410 Very toxic to aquatic life with long lasting effects.  
H411 Toxic to aquatic life with long lasting effects.  
H412 Harmful to aquatic life with long lasting effects.

### REACH extended MSDS comments

REACH requires that persons handling chemicals should take the necessary risk management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevant recommendations must be passed along the supply chain. These assessments are generally reported in Exposure Scenarios. Where Exposure Scenarios have been provided for substances used in this product, the relevant information is incorporated into the safety data sheet.

### END OF SAFETY DATA SHEET

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.