



SAFETY DATA SHEET

CPP H40 MULTI SURFACE CLEANER

According to Regulation (EC) No. 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures.

SECTION 1: Identification of the substance/mixture and of the company/undertaking
1.1. Product identifier

Product name CPP H40 MULTI SURFACE CLEANER

Product number CPPH40/6x1

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Detergent. For professional use only.

Uses advised against Not for oral consumption. Not for direct contact with Food or Beverage stuffs.

1.3. Details of the supplier of the safety data sheet

Supplier Booker
Equity House, Irthlingborough Road
Wellingborough
Northants. NN8 1LT
01933 371000

Manufacturer Holchem Laboratories Limited
Gateway House, Pilsworth Road,
Pilsworth Industrial Estate,
Bury, Lancashire (UK)
BL9 8RD
+44 (0) 1706 222288
+44 (0) 1706 221550
info@holchem.co.uk

1.4. Emergency telephone number

Emergency telephone Out of Office Hours Emergency Information:- For accidents and spillages involving this product that pose a threat to the environment, or human health, or require immediate first aid advice please call:- 0870 190 6777. NOTE: This number will not provide technical details of the product, or deal with other general enquiries regarding application and use of the product. This product is registered with the NPIS. UK Environment Agency 24hour Advisory Service 0800 807060.

SECTION 2: Hazards identification
2.1. Classification of the substance or mixture**Classification (EC 1272/2008)**

Physical hazards Not Classified

Health hazards Not Classified

Environmental hazards Not Classified

2.2. Label elements

Hazard statements NC Not Classified

CPP H40 MULTI SURFACE CLEANER

Precautionary statements P262 Do not get in eyes, on skin, or on clothing.
 P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 P337+P313 If eye irritation persists: Get medical advice/ attention.
 P404 Store in a closed container.

Supplemental label information EUH210 Safety data sheet available on request.

Contains SODIUM ALKYL ETHER SULPHATE

Supplementary precautionary statements P501 Dispose of contents/ container in accordance with national regulations.

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

PROPAN-2-OL	1-4%
CAS number: 67-63-0	EC number: 200-661-7
	REACH registration number: 01-2119457558-25

Classification	Classification (67/548/EEC or 1999/45/EC)
Flam. Liq. 2 - H225	F; R11. Xi; R36. R67
Eye Irrit. 2 - H319	
STOT SE 3 - H336	

2-METHYLPENTANE-2,4-DIOL	1-4%
CAS number: 107-41-5	EC number: 203-489-0
	REACH registration number: 01-2119539582-35

Classification	Classification (67/548/EEC or 1999/45/EC)
Skin Irrit. 2 - H315	Xi;R36/38
Eye Irrit. 2 - H319	

The Full Text for all R-Phrases and Hazard Statements are Displayed in Section 16.

Composition comments To the best of our knowledge, all of the substances used in this product are being supported for the relevant application in REACH.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information When it is safe to do so, remove victim immediately from source of exposure. However, consideration should be given as to whether moving the victim will cause further injury. For immediate First Aid advice in the UK, dial 111.

Inhalation Remove affected person from source of contamination. Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. If breathing stops, provide artificial respiration. Get medical attention if any discomfort continues.

Ingestion Do not induce vomiting. Rinse mouth thoroughly with water. Place unconscious person on the side in the recovery position and ensure breathing can take place. Get medical attention.

CPP H40 MULTI SURFACE CLEANER

Skin contact	Remove contaminated clothing that is not stuck to the skin. Flush area with clean water. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues.
Eye contact	Remove any contact lenses and open eyelids wide apart. Rinse immediately with plenty of water. Continue to rinse for at least 15 minutes and get medical attention.
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.

4.2. Most important symptoms and effects, both acute and delayed

General information	Prolonged contact may result in dryness of skin. Eye contact may result in redness and stinging discomfort.
Inhalation	Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose.
Ingestion	Unlikely route of exposure without deliberate abuse. There may be soreness and redness of mouth and throat. A soapy taste may be reported. May cause irritation/discomfort to mucous membranes. Similar but less severe symptoms will be seen if dilute chemical is ingested.
Skin contact	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Use solutions may cause mild irritation, especially to open cuts and abrasions.
Eye contact	May cause redness and irritation (stinging sensation) to eyes.

4.3. Indication of any immediate medical attention and special treatment needed

Notes for the doctor	Contains a mixture of Isopropyl Alcohol, Hexylene Glycol and Surfactants. All components are water soluble.
-----------------------------	---

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is non-combustible. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	The product is non-combustible. On heating irritating fumes may be formed.
-------------------------	--

5.3. Advice for firefighters

Protective actions during firefighting	Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
-----------------------------	---

6.2. Environmental precautions

Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.
----------------------------------	---

6.3. Methods and material for containment and cleaning up

CPP H40 MULTI SURFACE CLEANER

Methods for cleaning up Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Collect and place in suitable waste disposal containers and seal securely. For waste disposal, see Section 13. Containers with collected spillage must be properly labelled with correct contents and hazard symbol.

6.4. Reference to other sections

Reference to other sections See sections 8,12 & 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Refer to section 8. Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist. Read and follow manufacturer's recommendations.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Keep container tightly closed. Store in a demarcated bunded area to prevent release to drains and/or watercourses. Keep above the chemical's freezing point.

7.3. Specific end use(s)

Specific end use(s) Detergent, refer to use instructions.

Usage description This product is suitable for use in food preparation areas, but is not designed for direct food contact.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

PROPAN-2-OL

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m³

Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m³

2-METHYLPENTANE-2,4-DIOL

Long-term exposure limit (8-hour TWA): WEL 25 ppm 123 mg/m³

Short-term exposure limit (15-minute): WEL 25 ppm 123 mg/m³

WEL = Workplace Exposure Limit

Ingredient comments Where an exposure level is quoted, a risk assessment should consider if there is a need to monitor the atmosphere of the working environment. Results should be compared against the WEL and/or DNEL information provided. The Long Term WEL refers to total exposure of a worker to a specific substance averaged out over an 8 hour period. The Short Term WEL refers to a single exposure of a worker to a specific substance over a 15 minute period. If the Short Term WEL is exceeded and no Long Term Limit is set, further exposure during the working shift is not permitted. Further controls should be implemented to ensure that future exposure to the substance is reduced below the levels set before the activity is repeated/continued. Where no Short Term WEL exists, guidance from the HSE is to use a value of three times the Long Term WEL. The WEL limits are laid down in the EH40 list as supplied by the HSE. DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No 1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be implemented as described in section 8.2. Where a worker is exposed to levels approaching a limit, further exposure control measures should be considered to reduce exposure to the substance.

CPP H40 MULTI SURFACE CLEANER

PROPAN-2-OL (CAS: 67-63-0)

DNEL Professional - Dermal; 1 d Chronic effects: 888 mg/kg
Professional - Inhalation; Chronic effects: 500 mg/m³

PNEC - Fresh water; 140.9 mg/l
- marine water; 140.9 mg/l
- Sediment (Freshwater); 552 mg/kg
- Sediment (Marinewater); 552 mg/kg
- Soil; 28 mg/kg

SODIUM ALKYL ETHER SULPHATE (CAS: 68891-38-3)

DNEL Professional - Dermal; Long term systemic effects: 2750 mg/kg/day
Professional - Inhalation; Long term systemic effects: 175 mg/m³
General population - Oral; Long term systemic effects: 15 mg/kg/day
General population - Dermal; Long term systemic effects: 1650 mg/kg/day
General population - Inhalation; Long term systemic effects: 52 mg/m³

PNEC - Fresh water; 0.24 mg/l
- marine water; 0.024 mg/l
- Intermittent release; 0.071 mg/l
- Sediment (Freshwater); 5.45 mg/kg
- Sediment (Marinewater); 0.545 mg/kg
- Soil; 0.946 mg/kg
- STP; 10 g/l

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

As this product contains ingredients with exposure limits, process enclosures, local exhaust ventilation or other engineering controls should be used to keep worker exposure below any statutory or recommended limits, if use generates dust, fumes, gas, vapour or mist.

Personal protection

The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed processes to minimise contact with the product.

Eye/face protection

Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. Refer to EN Standard 166 to select appropriate level of protection.

Hand protection

For prolonged skin contact use of gloves is recommended for chemicals. The expected use of this product is such that gloves with a breakthrough time of >60 minutes should be regarded as sufficient. Gloves should be inspected regularly for damage and replaced when necessary. Refer to Standard EN 374 and EN 16523

Other skin and body protection

Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.

Hygiene measures

Not applicable.

Respiratory protection

Ensure adequate ventilation, do not breathe in spray or vapours.

CPP H40 MULTI SURFACE CLEANER

Environmental exposure controls	Do not allow the substance to contaminate surface water/ground water. See points 6, 12 &13.
General Health and Safety Measures.	A full Risk Assessment should be carried out before handling any chemical(s). Risk Assessments should refer to COSHH, and any other relevant legislation or industry specific guidelines governing the use of chemicals. We recommend use of gloves and eye protection for normal use of this product.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Colourless to Pale Blue
Odour	Slightly Alcoholic.
Odour threshold	Not applicable.
pH	pH (concentrated solution): 5 - 8
Melting point	Not applicable.
Initial boiling point and range	Not applicable.
Flash point	Not applicable.
Evaporation rate	Not applicable.
Evaporation factor	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	1.0 @ 20 Degrees C
Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Not applicable. Technically not feasible.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not determined.
Explosive properties	Not applicable.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising. Not applicable. Contains no Oxidising Components.

9.2. Other information

Refractive index	Not applicable.
Particle size	Not applicable.

CPP H40 MULTI SURFACE CLEANER

Molecular weight	Not applicable.
Volatility	Not applicable.
Saturation concentration	Not applicable.
Critical temperature	Not applicable.
Volatile organic compound	Not applicable.
Explosive Properties	Not Classified as Explosive
Storage Temperature Range	-10 to +40 Degrees C in Closed Container

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity	Not expected to react when correctly stored and used. Mixing with other chemicals may produce unexpected reactions.
-------------------	---

10.2. Chemical stability

Stability	Stable at normal ambient temperatures and when used as recommended. - See note 10.6.
------------------	--

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions	Refer to section 10.1.
---	------------------------

10.4. Conditions to avoid

Conditions to avoid	Avoid excessive heat for prolonged periods of time.
----------------------------	---

10.5. Incompatible materials

Materials to avoid	Strong oxidising agents.
---------------------------	--------------------------

10.6. Hazardous decomposition products

Hazardous decomposition products	Does not decompose when used and stored as recommended.
---	---

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Respiratory sensitisation

Respiratory sensitisation	No evidence of respiratory sensitisation for any component of this formulation.
----------------------------------	---

Skin sensitisation

Skin sensitisation	No evidence of skin sensitisation for any component of this formulation.
---------------------------	--

Carcinogenicity

Carcinogenicity	The components of this formulation will not be systemically available in the body under normal conditions of handling. As a consequence it is not expected to cause cancer.
------------------------	---

Reproductive toxicity

Reproductive toxicity - fertility	The components of this formulation will not be systemically available in the body under normal conditions of use and handling. As a consequence it is not expected to be toxic to the reproductive system or developing foetus.
--	---

General information	See section 4.2.
----------------------------	------------------

CPP H40 MULTI SURFACE CLEANER

Inhalation	Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose. - See section 4.2.
Ingestion	Unlikely route of exposure without deliberate abuse. There may be soreness and redness of mouth and throat. A soapy taste may be reported. May cause irritation/discomfort to mucous membranes.
Skin contact	Under normal conditions of use exposure time will be short and the likelihood of causing skin irritation will be very low. Long exposure may result in skin dryness.
Eye contact	May cause temporary eye irritation.

SECTION 12: Ecological information

Ecotoxicity The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Acute aquatic toxicity

Acute toxicity - fish This mixture is not classified as toxic to aquatic organisms. Normal use of diluted product is unlikely to pose a risk. See note 12.0.

12.2. Persistence and degradability

Persistence and degradability The surfactant(s) used in this preparation complies (comply) with the biodegradability criteria as laid down in the European Detergents Regulation No 648/2004 as amended.

12.3. Bioaccumulative potential

Bioaccumulative potential Not expected to bioaccumulate.

Partition coefficient Not applicable. Technically not feasible.

12.4. Mobility in soil

Mobility The product contains substances which are water soluble and may spread in water systems.

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

12.6. Other adverse effects

Other adverse effects Not determined.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information When handling waste, the safety precautions applying to handling of the product should be considered. Do not mix with other chemicals.

Disposal methods Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

CPP H40 MULTI SURFACE CLEANER

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

Transport labels

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant

No.

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78
and the IBC Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

European Regulation (EC) No 1272/2008 on Classification, Labelling and Packaging of Substances and Mixtures.

This replaces Directive 67/548/EEC - Classification, Packaging and Labelling of Dangerous Substances and Regulation (EC) No. 453/2010 relating to the Classification, Packaging and Labelling of Dangerous Preparations. Also considered is the REACH Regulation (EC) No.1907/2006.

15.2. Chemical safety assessment

Pcs Information

No chemical safety assessment has been carried out.

SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet

(EC) No. 1272/2008 : EU Regulation on Classification, Labelling and Packaging of Substances and Mixtures.

NPIS - National Poisons Information Service.

vPvB - Very Persistent, Very bioaccumulative.

PBT - Persistent, Bioaccumulative & Toxic.

REACH - Registration, Evaluation, Authorisation & restriction of CHemicals (Regulation EC 1907/2006).

DNEL - Derived No Effect Limit.

PNEC - Predicted No Effect Concentration.

COSHH - Control of Substances Hazardous to Health.

Industry - Refers in section 8 to application of the substance in an industrial process.

Professional - Refers in section 8 to application/use of the preparation/product in a skilled trade premises.

CPP H40 MULTI SURFACE CLEANER

General information	This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2.
Revision comments	Product Launch
Revision date	28/05/2019
SDS number	11885
Risk phrases in full	Not classified. R11 Highly flammable R36 Irritating to eyes. R36/38 Irritating to eyes and skin. R67 Vapours may cause drowsiness and dizziness.
Hazard statements in full	H225 Highly flammable liquid and vapour. H315 Causes skin irritation. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.
REACH extended MSDS comments	REACH requires that persons handling chemicals should take the necessary risk management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevant recommendations must be passed along the supply chain. These assessments are generally reported in Exposure Scenarios. Where Exposure Scenarios have been provided for substances used in this product, the relevant information is incorporated into the safety data sheet.
END OF SAFETY DATA SHEET	

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.