

SECTION 1: Identification of the substance/mixture and of the company/undertaking		
1.1. Product identifier		
Product name	CPP H31 WASHROOM CLEANER & DISINFECTANT	
Product number	CPPH31/6x1	
Container size	1L	
1.2. Relevant identified uses of	f the substance or mixture and uses advised against	
Identified uses	Disinfectant. For professional use only.	
Uses advised against	Not for oral consumption.	
1.3. Details of the supplier of the	ne safety data sheet	
Supplier	Booker Equity House, Irthlingborough Road Wellingborough Northants. NN8 1LT 01933 371000	
	Makro 97 Kingsway, Dunmurry Belfast. BT17 9NS 01933 371000	
Manufacturer	Holchem Laboratories Limited. Gateway House, Pilsworth Road, Pilsworth Industrial Estate, Bury, Lancashire (UK) BL9 8RD. +44 (0) 1706 222288 +44 (0) 1706 221550 info@holchem.co.uk	
1.4. Emergency telephone nun	nber	
Emergency telephone	Out of Office Hours Emergency Information: - For accidents and spillages involving this product that pose a threat to the environment, or human health, or require immediate first aid advice please call: - 0870 190 6777. NOTE: This number will not provide technical details of the product, or deal with other general enquiries regarding application and use of the product. UK Environment Agency 24hour Advisory Service 0800 807060. This product is registered with the NPIS.	
National emergency telephone number	In case of a medical emergency following exposure to a chemical call NHS Direct 111.	

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (SI 2019 No. 720)

Physical hazards Health hazards	Not Classified Not Classified
Environmental hazards <u>2.2. Label elements</u> Hazard statements	Not Classified
Precautionary statements	<ul> <li>P280 Wear protective gloves, eye and face protection.</li> <li>P302+P352 IF ON SKIN: Wash with plenty of water.</li> <li>P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.</li> <li>P337+P313 If eye irritation persists: Get medical advice/ attention.</li> <li>P501 Dispose of contents/ container in accordance with local regulations.</li> </ul>
Detergent labelling	< 5% cationic surfactants

## 2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB.

SECTION 3: Composition/information on ingredients	
3.2. Mixtures	

DIDECYLDIMETHYLAMMONIUM CHLORIDE		<1%
CAS number: 7173-51-5	EC number: 230-525-2	
M factor (Acute) = 10		
Classification		
Acute Tox. 4 - H302		
Skin Corr. 1B - H314		
Eye Dam. 1 - H318		
Aquatic Acute 1 - H400		
Aquatic Chronic 2 - H411		

The full text for all hazard statements is displayed in Section 16.

**Composition comments** To the best of our knowledge, all of the substances used in this product are being supported for the relevent application in REACH. The Biocidally Active components of this product are supported in the Biocidal Products Regulation.

SECTION 4: First aid measures		
4.1. Description of first aid measures		
General information	In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible). For immediate First Aid advice in the UK, dial 111.	
Inhalation	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Get medical attention if any discomfort continues.	
Ingestion	Do not induce vomiting. Rinse mouth thoroughly with water. Get medical attention immediately. Show this Safety Data Sheet to the medical personnel.	
Skin contact	Remove contaminated clothing and rinse skin thoroughly with water. Get medical attention if irritation persists after washing.	

Eye contact	Remove any contact lenses and open eyelids wide apart. Promptly wash eyes with plenty of water while lifting the eyelids. Continue to rinse for at least 15 minutes. Get medical attention if irritation persists after washing.	
Protection of first aiders	First aid personnel should wear appropriate protective equipment during any rescue.	
4.2. Most important symptoms	and effects, both acute and delayed	
General information	Prolonged contact may result in dryness of skin. Eye contact may result in redness and stinging discomfort.	
Inhalation	Unlikely route of exposure unless deliberate inhalation has occured, this may result in irritation of nose, mouth and airways.	
Ingestion	Unlikely route of exposure without deliberate abuse. There may be soreness and redness of mouth and throat. A soapy taste may be reported. May cause irritation/discomfort to mucous membranes.	
Skin contact	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis. Use solutions may cause mild irritation, especially to open cuts and abrasions.	
Eye contact	May cause redness and irritation (stinging sensation) to eyes.	
4.3. Indication of any immediate medical attention and special treatment needed		
Notes for the doctor	Rinse well with water.	
SECTION 5: Firefighting meas	sures	
5.1. Extinguishing media		
Suitable extinguishing media	Use alcohol-resistant foam, carbon dioxide or dry powder to extinguish.	
5.2. Special hazards arising from	om the substance or mixture	
Specific hazards	The product is non-combustible. If heated, irritating vapours may be formed.	
5.3. Advice for firefighters		
Protective actions during firefighting	Protective clothing and respiratory protection should be worn when tackling fires involving this product. Control run-off water by containing and keeping it out of sewers and watercourses.	
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.	
SECTION 6: Accidental release	e measures	
6.1. Personal precautions, pro	tective equipment and emergency procedures	
Personal precautions	Ensure adequate ventilation of the working area. Wear protective clothing as described in Section 8 of this safety data sheet.	
6.2. Environmental precaution	<u>S</u>	
Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body.	
6.3. Methods and material for	containment and cleaning up	
Methods for cleaning up	Stop leak if safe to do so. Contain and absorb spillage with sand, earth or other non- combustible material. Collect and place in suitable labelled containers and seal securely. For waste disposal, see Section 13.	
6.4. Reference to other section		

#### SECTION 7: Handling and storage

7.1. Precautions for safe handling		
Usage precautions	Refer to section 8. Ensure adequate ventilation of the working area. Wear suitable protective equipment for prolonged exposure and/or high concentrations of vapours, spray or mist.	
7.2. Conditions for safe storage	e, including any incompatibilities	
Storage precautions	Store in tightly-closed, original container in a dry, cool and well-ventilated place. Store below 40°C.	
7.3. Specific end use(s)		
Specific end use(s)	Disinfectant - refer to use instructions	
SECTION 8: Exposure controls/Personal protection		
8.1. Control parameters		
Occupational exposure limits		
PROPAN-2-OL		

Long-term exposure limit (8-hour TWA): WEL 400 ppm 999 mg/m<sup>3</sup> Short-term exposure limit (15-minute): WEL 500 ppm 1250 mg/m<sup>3</sup>

#### 2-AMINOETHANOL

Long-term exposure limit (8-hour TWA): WEL 1 ppm(Sk) 2.5 mg/m3(Sk) Short-term exposure limit (15-minute): WEL 3 ppm(Sk) 7.6 mg/m3(Sk) WEL = Workplace Exposure Limit.

WEL and/or DNEL information provided. The Long Term WEL refers to total exposure of a worker to a specific substance averaged out over an 8 hour period.
The Short Term WEL refers to a single exposure of a worker to a specific substance over a 15 minute period.
If the Short Term WEL is exceeded and no Long Term Limit is set, further exposure during the working shift is not permitted. Further controls should be implemented to ensure that future exposure to the substance is reduced below the levels set before the activity is
repeated/continued. Where no Short Term WEL exists, guidance from the HSE is to use a value of three times the Long Term WEL.
The WEL limits are laid down in the EH40 list as supplied by the HSE. Where a worker is exposed to levels approaching a limit, further exposure control measures should be
considered to reduce exposure to the substance. DNEL and/or PNEC information is supplied by manufacturers of substances in accordance with REACH legislation (Regulation (EC) No
1907/2006), and is used to provide suitable risk reduction measures to limit exposure of the user of the substance to a non hazardous level. If the measured level of exposure by a route divided by the DNEL for the route is greater than 1, then further exposure controls should be
implemented as described in section 8.2. Where new information becomes available under
REACH, this will be passed on as revisions to the Safety Data Sheet.
PROPAN-2-OL (CAS: 67-63-0)

DNEL

Professional - Dermal; 1 d Chronic effects: 888 mg/kg Professional - Inhalation; Chronic effects: 500 mg/m<sup>3</sup>

## PNEC

- Fresh water; 140.9 mg/l
- marine water; 140.9 mg/l
- Sediment (Freshwater); 552 mg/kg
- Sediment (Marinewater); 552 mg/kg
- Soil; 28 mg/kg

## 8.2. Exposure controls



Personal protection	The PPE indicated above is not a COSHH assessment. It represents PPE that should be considered during the manufacture, distribution, use and final disposal stages of this product's life cycle. It is the responsibility of employers to conduct a COSHH/risk assessment to determine appropriate PPE levels. The information given below should be used to support this assessment. Where possible replace manual processes with automated or closed processes to minimise contact with the product.
Eye/face protection	If risk of splashing, wear safety goggles or face shield.
Hand protection	Rubber (natural, latex). Neoprene. Polyvinyl chloride (PVC). The expected use of this product is such that gloves with a breakthrough time of >60 minutes should be regarded as sufficient. Gloves should be inspected regularly for damage and replaced when necessary. Refer to Standard EN 374 and EN 16523
Other skin and body protection	Wear suitable protective clothing as protection against splashing or contamination. Reference to EN 13832 and EN 943 is useful when selecting footwear and clothing.
Hygiene measures	Provide eyewash station and safety shower. Promptly remove non-impervious clothing that has become contaminated, provided it is not adhered to the skin.
Respiratory protection	Respiratory protection complying with an approved standard should be worn if a risk assessment indicates inhalation of contaminants is possible.
Environmental exposure controls	Do not allow the substance to contaminate surface water/ground water. See points 6, 12 &13.
General Health and Safety Measures.	A full Risk Assessment should be carried out before handling any chemical(s). Risk Assessments should refer to COSHH, and any other relevant legislation or industry specific guidelines governing the use of chemicals. Use of gloves and eye protection is recommended.

## **SECTION 9: Physical and chemical properties**

## 9.1. Information on basic physical and chemical properties

Appearance	Liquid
Colour	Colourless.
Odour	Characteristic.
Odour threshold	Not applicable.
рН	10.5 - 11.5
Melting point	Not applicable.
Initial boiling point and range	Not applicable.
Flash point	>65 Degrees C
Evaporation rate	Not applicable.

Evaporation factor	Not applicable.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not applicable.
Vapour pressure	Not applicable.
Vapour density	Not applicable.
Relative density	1.0 - 1.01 @ 20 Degrees C
Bulk density	Not applicable.
Solubility(ies)	Soluble in water.
Partition coefficient	Technically not feasible.
Auto-ignition temperature	Not applicable.
Decomposition Temperature	Not applicable.
Viscosity	Not determined.
Explosive properties	Not applicable.
Explosive under the influence of a flame	Not considered to be explosive.
Oxidising properties	Does not meet the criteria for classification as oxidising.
9.2. Other information	
Refractive index	Not applicable.
Particle size	Not applicable.
Molecular weight	Not applicable.
Volatility	Not applicable.
Saturation concentration	Not applicable.
Critical temperature	Not applicable.
Volatile organic compound	Not applicable.
Explosive Properties	Not Classified as Explosive
Storage Temperature Range	0 - 40°C
SECTION 10: Stability and rea	activity
10.1. Reactivity	
Reactivity	Not expected to react when correctly stored and used. Mixing with other chemicals may produce unexpected reactions.
10.2. Chemical stability	
Stability	Stable at normal ambient temperatures and when used as recommended See note 10.6.
10.3. Possibility of hazardous	reactions
Possibility of hazardous reactions	Refer to section 10.1. Do not mix with Hypochlorite based chemicals, this could result in a dangerous heating of the solution.
10.4. Conditions to avoid	

Conditions to sweid	Augid evenesive best for prolonged periods of time
Conditions to avoid	Avoid excessive heat for prolonged periods of time.
10.5. Incompatible materials	Observe seide Dissel
Materials to avoid	Strong acids. Bleach.
10.6. Hazardous decompositio	
Hazardous decomposition products	Does not decompose when used and stored as recommended See section 10.5.
SECTION 11: Toxicological inf	ormation
11.1. Information on toxicologi	cal effects
General information	See section 4.2.
Inhalation	Unlikely route of exposure. Inhalation of sprayed droplets may result in soreness of the throat, mouth and nose See section 4.2.
Ingestion	Unlikely route of exposure without deliberate abuse. There may be soreness and redness of mouth and throat. A soapy taste may be reported. May cause irritation/discomfort to mucous membranes.
Skin contact	Under normal conditions of use exposure time will be short and the likelihood of causing skin irritation will be very low. Long exposure may result in skin dryness.
Eye contact	May cause temporary eye irritation.
SECTION 12: Ecological inform	nation
Ecotoxicity	This product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
12.1. Toxicity	
Acute aquatic toxicity	
Acute toxicity - fish	Normal use of diluted product is unlikely to pose a risk. See note 12.0.
12.2. Persistence and degrada	ability
Persistence and degradability	The surfactant(s) used in this preparation complies (comply) with the biodegradability criteria as laid down in the European Detergents Regulation No 648/2004 as amended.
12.3. Bioaccumulative potentia	
Bioaccumulative potential	Not expected to bioaccumulate.
Partition coefficient	Technically not feasible.
12.4. Mobility in soil	
Mobility	The product contains substances which are water soluble and may spread in water systems.
12.5. Results of PBT and vPvE	3 assessment
Results of PBT and vPvB assessment	This product does not contain any substances classified as PBT or vPvB.
12.6. Other adverse effects	
Other adverse effects	Not determined.
SECTION 13: Disposal considerations	

#### 13.1. Waste treatment methods

General information	When handling waste, the safety precautions applying to handling of the product should be considered. Do not mix with other chemicals.
Disposal methods	Disposal of this product, process solutions, residues and by-products should at all times comply with the requirements of environmental protection and waste disposal legislation and any local authority requirements. Small volumes of use solution can be disposed of to sewers.

#### SECTION 14: Transport information

General

The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

## 14.1. UN number

Not applicable.

#### 14.2. UN proper shipping name

Not applicable.

#### 14.3. Transport hazard class(es)

No transport warning sign required.

#### 14.4. Packing group

Not applicable.

#### 14.5. Environmental hazards

# Environmentally hazardous substance/marine pollutant No.

## 14.6. Special precautions for user

Not applicable.

## 14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Not applicable. Annex II of MARPOL 73/78 and the IBC Code

#### SECTION 15: Regulatory information

# 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture National regulations UK adoption and implementation of the UN Globally Harmonised System (GHS) on Classification and Labelling of Chemical (GB CLP - SI 2020 No. 1567) and the adoption of UK REACH (SI 2020 No. 1577) EU legislation REACH Regulation (EU) No 2015/830 (which amends Regulation (EC) No 453/2010 & 1907/2006) EU GHS: CLP - Regulation (EC) No 1272/2008 Classification, Labelling & Packaging of Substances & Mixtures.

#### 15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

## SECTION 16: Other information

Abbreviations and acronyms used in the safety data sheet	<ul> <li>(EC) No. 1272/2008 : EU Regulation on Classification, Labelling and Packaging of Substances and Mixtures.</li> <li>NPIS - National Poisons Information Service.</li> <li>vPvB - Very Persistent, Very bioaccumulative.</li> <li>PBT - Persistent, Bioaccumulative &amp; Toxic.</li> <li>REACH - Registration, Evaluation, Authorisation &amp; restriction of CHemicals (Regulation EC 1907/2006).</li> <li>DNEL - Derived No Effect Limit.</li> <li>PNEC - Predicted No Effect Concentration.</li> <li>COSHH - Control of Substances Hazardous to Health.</li> <li>Industry - Refers in section 8 to application/use of the preparation/product in a skilled trade premises.</li> </ul>
General information	This document is a Safety Data Sheet, NOT a CoSHH assessment. It is the customer's responsibility to conduct a full CoSHH assessment, taking into account the information held within this document along with other local factors considered in a risk assessment. The Risk and Hazard statements listed below are the full text of abbreviations used in this document. They are not the final classification, for this refer to section 2.
Revision comments	Formulation and SDS review with no change in classification Update to address in Section 1. Amendment to the emergency phone number in Section 1.4. Update to regulation information - Section 15.
Revision date	18/05/2022
SDS number	26205
Hazard statements in full	H302 Harmful if swallowed. H314 Causes severe skin burns and eye damage. H318 Causes serious eye damage. H400 Very toxic to aquatic life. H411 Toxic to aquatic life with long lasting effects.
REACH extended MSDS comments	REACH requires that persons handling chemicals should take the necessary risk management measures, in accordance with assessments from manufacturers and importers of chemical substances. The relevent recommendations must be passed along the supply chain. These assessments are generally reported in Exposure Scenarios. Where Exposure Scenarios have been provided for substances used in this product, the relevent information is incorporated into the safety data sheet.
END OF SAFETY DATA	

SHEET

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.